




APPROVED IN
THOUSANDS OF CASES



MOVE CONTROL

Manoeuvre your caravan safely and easily
- at the touch of a button !





The moving device for your caravan!

MOVE CONTROL



- MoveControl is the only caravan moving device, where the motors and gearboxes are located inside the chassis - protected from the spray of the tyres.
- MoveControl provides the widest friction drive rollers, covering even the widest tyres for the best traction - even under the worst conditions.
- Cross actuation kit as standard with brace or cordless powertool - easily and safely engaging and disengaging the friction rollers.
- Suitable for most types of chassis. MoveControl just clamps onto the chassis - no drilling or welding is required. The unit does not affect the operation of the shock absorbers and can be fitted behind or in front of the wheels. When changing caravans, the MoveControl can be easily transferred.

MOVE CONTROL TWIN 4WD



- The powerful 4-wheel-drive for twin-axle caravans offers effortless manoeuvring even under the most extreme conditions it enables you to reduce the turn radius, while maintaining complete control of the caravan.
- The 4 wheel-drive ensures that you can clear curbs easily and traverse pot holes and other road obstacles.
- In addition, a new unique control allows turning in confined spaces.
- The 4-wheel-drive offers enormous power and will move a 2,000 kilogram twin-axle caravan up a gradient of more than 15 % (at greater weights appropriately less).

MOTOR DRIVE



- The convenient way to engage and disengage the drive rollers electronically - just by pressing a button on the remote control.
- Also available as a retro-fit kit to upgrade most older models. The best accessory for your MoveControl.



- One remote control for all components: Turn On/OFF, automatically engaging/disengaging the friction rollers and moving.
- Approved in thousands of cases.
- ISO-TÜV 9001:2000 certification.



Advantages at a glance:

- SOFTSTART and SOFTSTOP electronics facilitate precise movement and greater control on any ground - millimetre by millimetre - as well as quick and easy hitching and de-hitching your caravan.
 - The new electronic control minimizes the chassis stress, to protect the caravan structure. It will stop your caravan, even on a slope.
 - Hitching your caravan was never so easy.
-
- Move your caravan around any corner and to any site - effortlessly by remote control. At the touch of button you can single-handedly move your caravan in any direction.
 - The new, patented electronic control provides smallest turning circles and tight curve radii, also for heavy twin-axle caravans.
-
- The twin-axle version is designed with 4-wheel drive for maximum performance and added security. The MoveControl Twin 4WD clears curbs and traverses pot holes easily. It also manoeuvres your caravan into confined spaces or on the most difficult terrain - even if a tyre loses contact with the ground.
 - All parts are zinc-plated for complete corrosion-resistance. The motors and gearboxes are located inboard, protected from water, dirt and curbs.
-
- From a loose gravel pitch to a steep grassy slope, Move Control enables your caravan to ascend gradients of up to 25% (for MoveControl - based on a caravan weight of 1,200 kg) or 15% (MoveControl 4WD - based on a caravan weight of 2,000 kg) - no problem.
 - Direct drive of the friction rollers, no delicate power transmission over gear wheels or chains.
 - The maintenance-free MoveControl - for your caravaners-life - free from worries.



ISO-TÜV 9001:2000 certification



MOVE CONTROL

MoveControl Art.-No.: 527-0521

For single-axle caravans with cross actuation kit.

Delivery:

Standard mounting set - suitable for most chassis types. Can be adapted for or behind the wheels. Long life friction rollers, control unit with all cable connections, remote control, Documentation, storage case for handset, cable brace and instruction manual.

3 year guarantee.



MoveControl-MotorDrive Art.-No.: 527-0522

Delivery:

as 527-0521, additional with MotorDrive.

Engaging and disengaging automatically by pressing a button on the remote control.

MOVE CONTROL TWIN 4WD

MoveControl Twin 4WD Art.-No.: 527-0541

For twin-axle caravans with cross actuation kit.

Delivery:

Standard mounting set - suitable for most chassis types. Long life friction rollers, two control units with all cable connections, remote control, documentation, storage case for handset, cable brace and instruction manual.

3 year guarantee



MoveControl Twin 4WD-MotorDrive Art.-No.: 527-0542

Delivery:

as 527-0541, additional with MotorDrive.

Engaging and disengaging automatically by pressing a button on the remote control.


MOTOR DRIVE

Upgrade-Kit Motordrive single axle Art.-No.: 227-10620

Upgrade-Kit MotorDrive twin axle Art.-No.: 227-20620

Delivery includes the motor-gearbox-unit, mounting parts, cables and documentation (without electronic).

Connection is made via the MoveControl E-box and is controlled by the handset.



Drive protection covers Art.-No.: 227-2040

Set for casing the friction rollers, on both sides.

Delivery includes mounting parts and documentation.

MoveControl Twin 4 WD needs two sets.

Product information:

Type	MoveControl	MoveControl Twin 4WD
Weight	33 kg	66 kg
Current Consumption	15 A - max. 60 A	25 A - max. 90 A
Power supply (optional)	12 V Battery, 75 Ah min.	12 V Battery, 110 Ah min.
Drive	two 12 V DC electric motors, driving friction rollers	four 12 V DC electric motors, driving friction rollers
Gradient	25%, based on a caravan weight of 1,200 kg	> 15%, based on a caravan weight of 2,000 kg
Total weight caravan	until 2,000 kg	until 2,500 kg
Speed	approx. 1 km / h	
Guarantee	3 years (according modelyear as of 2006)	

* = at greater weights appropriately less

Modifications and errors excepted

Dealer:



Reich UK Office:
Unit 7 Miras Business Estate
Lower Keys, Hednesford
Staffordshire, WS12 2FS
Tel. +44 (0) 1543 / 459243
Fax +44 (0) 1543 / 275929
Email: info@reich-web.com
Internet: www.reich-web.com

Producer:
Reich GmbH
Ahornweg 37
D-35713 Eschenburg
Tel. +49 (0) 2774 / 9305-0
Fax +49 (0) 2774 / 9305-90
Email: info@reich-web.com
Internet: www.reich-web.com